


Nozzle Type Vacuum Sealer

EXN series nozzle type vacuum sealer is an entry level vacuum packaging machine. It is easy to operate and practically maintenance free. It works well with all popular moisture barrier bag materials and anti-static pouch.



Standard Features:

- Suitable for clean room application
- High flow stainless steel retractable nozzle
- Clean, quiet, non-particle generating, 100% maintenance free air-driven vacuum ejector
- Easy set-up using only compressed air and a standard electrical outlet
- PLC controller
- Vacuum gauge
- Digital timer control for vacuum, sealing and cooling
- Impulse Sealing
- Foot pedal switch activated
- Built-in emergency stop push button
- Object / Finger anti-pinch safety system

Applications:

- Moisture resistance sealing
- Extend storage period for packed goods
- Prevents electronic components and hardware parts from rusting, oxidization and dampening
- Pouch Materials = Aluminum Foil, OPP Films, Nylon, HDPE, LDPE, Laminated Films

Model Selection:

- EXN-SXX = Fully Stainless Steel Fabrication
- EXN-XX-B = Bi-Active Sealing System (Top & Bottom Heating Element)

Optional Upgrade:

- Stainless Steel Working Platform
- Vertical Stand
- Fully Stainless Steel Fabrication
- Other Sealing Width (7mm, 8mm, & 10mm)
- Other voltage available (AC 220V)



For more information, please contact local distributor :

Model:	EXN-20	EXN-25	EXN-30
Seal Size:	(L) 20" x (W) 6mm	(L) 25" x (W) 6mm	(L) 30" x (W) 6mm
Machine Dimension:	L32"x W12"xH8"	L37"x W12"xH8"	L42"x W12"xH8"
Power:	1Φ, AC 110V	1Φ, AC 110V	1Φ, AC 110V
Vacuum Flow:	2.94 cfm	2.94 cfm	2.94 cfm
Maximum Vacuum:	-26inHg	-26inHg	-26inHg
Air Requirement:	5CFM @ 87PSI	5CFM @ 87PSI	5CFM @ 87PSI

Note: Machine and specifications are subjected to change due to continuous improvement.